

	Hits	Search Text	DBs	Time Stamp
1	5042	707/1-3,6,7,9,10.ccls.	USPAT; US-PGPUB	2002/02/25 16:48
2	3660	707/100-104.1.ccls.	USPAT; US-PGPUB	2002/02/25 16:48
3	2428	707/500-501.1,513,525,526,530, 531.ccls.	USPAT; US-PGPUB	2002/02/28 13:26
4	9022	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.	USPAT; US-PGPUB	2002/02/28 07:52
5	1	5428529.pn.	USPAT; US-PGPUB	2002/02/25 16:50
6	1	5579519.pn.	USPAT; US-PGPUB	2002/02/25 16:52
7	1	5446903.pn.	USPAT; US-PGPUB	2002/02/25 16:57
8	411	710/240,241.ccls.	USPAT; US-PGPUB	2002/02/25 16:57
9	89	717/139.ccls.	USPAT; US-PGPUB	2002/02/25 16:57
10	500	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2003/11/07 10:50
11	9041	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.	USPAT; US-PGPUB	2003/11/07 10:48
12	500	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2002/02/26 09:21
13	144	retriev\$4 adj3 row\$2 near3 data	USPAT; US-PGPUB	2002/02/26 10:03
14	329	security adj3 tag\$2	USPAT; US-PGPUB	2002/02/26 09:25
15	474	security adj3 (id or identifier)	USPAT; US-PGPUB	2002/02/26 09:28
16	214	authoriz\$4 with user with view	USPAT; US-PGPUB	2002/02/26 09:29
17	7	(security adj3 tag\$2) and (security adj3 (id or identifier))	USPAT; US-PGPUB	2003/11/07 13:02
18	14	determin\$4 adj3 data adj3 break	USPAT; US-PGPUB	2002/02/28 08:58
19	3	retriev\$4 adj3 report with page\$2	USPAT; US-PGPUB	2002/02/26 10:00
20	6180	report with page\$2	USPAT; US-PGPUB	2002/02/26 10:01
21	4	(report with page\$2) and (retriev\$4 adj3 row\$2 near3 data)	USPAT; US-PGPUB	2002/02/26 10:01
22	180	retriev\$4 adj3 row\$2 with data	USPAT; US-PGPUB	2002/02/26 10:05
23	4	(retriev\$4 adj3 row\$2 with data) and (report with page\$2)	USPAT; US-PGPUB	2002/02/26 10:04

	Hits	Search Text	DBs	Time Stamp
24	504	retriev\$4 adj3 row\$2	USPAT; US-PGPUB	2002/02/26 10:05
25	14	(retriev\$4 adj3 row\$2) and (report with page\$2)	USPAT; US-PGPUB	2002/02/26 11:22
26	214	user with authoriz\$4 with view	USPAT; US-PGPUB	2002/02/26 11:25
27	39	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (user with authoriz\$4 with view)	USPAT; US-PGPUB	2002/02/26 14:42
28	12	role\$2 adj3 security adj3 system\$2	USPAT; US-PGPUB	2002/02/26 14:54
29	124	role\$2 adj3 column\$2	USPAT; US-PGPUB	2002/02/26 14:56
30	3	map\$4 with role\$2 adj3 column\$2	USPAT; US-PGPUB	2002/02/26 14:59
31	3	associat\$4 with role\$2 adj3 column\$2	USPAT; US-PGPUB	2002/02/26 15:10
32	257	translation adj3 rule\$2	USPAT; US-PGPUB	2002/02/26 15:11
33	29	translation adj3 rule\$2 with (map\$4 or associat\$4)	USPAT; US-PGPUB	2002/02/26 15:23
34	392	role\$2 adj3 user\$2	USPAT; US-PGPUB	2002/02/26 15:23
35	5	role\$2 adj3 user\$2 with correspond\$4	USPAT; US-PGPUB	2002/02/26 15:30
36	137	security adj3 clearance with user\$2	USPAT; US-PGPUB	2002/02/26 15:32
37	31	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (security adj3 clearance with user\$2)	USPAT; US-PGPUB	2002/02/26 15:46
38	14	(data adj3 break) and (level adj3 break)	USPAT; US-PGPUB	2002/02/26 15:52
39	5	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (level adj3 break)	USPAT; US-PGPUB	2002/02/26 16:16

	Hits	Search Text	DBs	Time Stamp
40	12	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (break with (id or identifier))	USPAT; US-PGPUB	2002/02/26 16:18
41	9041	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.	USPAT; US-PGPUB	2002/02/27 08:25
42	500	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2002/02/27 08:25
43	1	renumber adj3 page\$2	USPAT; US-PGPUB	2002/02/27 11:10
44	9708	number adj3 page\$2	USPAT; US-PGPUB	2002/02/27 11:10
45	212	number adj3 page\$2 with (sequential\$4 or consequetiv\$4)	USPAT; US-PGPUB	2002/02/27 11:12
46	27	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (number adj3 page\$2 with (sequential\$4 or consequetiv\$4))	USPAT; US-PGPUB	2002/02/27 11:17
47	1306	first adj2 page\$2 with one	USPAT; US-PGPUB	2002/02/27 11:17
48	10	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (number adj3 page\$2 with (sequential\$4 or consequetiv\$4)) and (first adj2 page\$2 with one)	USPAT; US-PGPUB	2002/02/27 12:17
49	1027	section adj3 (id or identifier)	USPAT; US-PGPUB	2002/02/27 12:19
50	61	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (section adj3 (id or identifier))	USPAT; US-PGPUB	2002/02/27 12:23

	Hits	Search Text	DBs	Time Stamp
51	2	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (section adj3 (id or identifier) and (section adj3 tag\$2))	USPAT; US-PGPUB	2002/02/27 12:25
52	9	(section adj3 (id or identifier) and (section adj3 tag\$2))	USPAT; US-PGPUB	2002/02/27 15:59
53	9041	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.	USPAT; US-PGPUB	2002/02/27 16:01
54	500	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2002/02/27 16:01
55	6	page adj3 map with cell\$2	USPAT; US-PGPUB	2002/02/27 17:02
56	21	page adj3 map with index	USPAT; US-PGPUB	2002/02/27 17:03
57	4	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (page adj3 map with index)	USPAT; US-PGPUB	2002/02/27 17:03
58	9079	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.	USPAT; US-PGPUB	2002/02/28 07:52
59	500	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2002/02/28 07:52
60	33	break adj3 (id or identifier\$2)	USPAT; US-PGPUB	2002/02/28 08:59
61	3	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (break adj3 (id or identifier\$2))	USPAT; US-PGPUB	2002/02/28 08:59
62	1	4742460.pn.	USPAT	2003/06/28 15:15
63	1	4745560.pn.	USPAT	2003/06/28 15:17
64	1	4932021.pn.	USPAT	2003/06/28 15:17
65	1	5448691.pn.	USPAT	2003/06/28 15:19
66	1	5473689.pn.	USPAT	2003/06/28 15:20

	Hits	Search Text	DBs	Time Stamp
67	1	5724581.pn.	USPAT	2003/06/28 15:21
68	1	5845304.pn.	USPAT	2003/06/28 15:21
69	1	5884035.pn.	USPAT	2003/06/28 15:21
70	16982	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 715/500,500.1,501.1,513,525,52 6,530,531.ccls.	USPAT; US-PGPUB	2003/11/10 07:56
71	716	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2003/11/10 07:56
72	6	(security adj3 tags) and (security adj3 (id or identifier))	USPAT; US-PGPUB	2003/11/07 13:03
73	16984	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 715/500,500.1,501.1,513,525,52 6,530,531.ccls.	USPAT; US-PGPUB	2003/11/10 11:05
74	716	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2003/11/10 11:06
75	16984	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 715/500,500.1,501.1,513,525,52 6,530,531.ccls.	USPAT; US-PGPUB	2003/11/10 11:06
76	716	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2003/11/10 11:06
77	212	report and (user with present\$4) and (appear\$4 with complete)	USPAT; US-PGPUB	2003/11/10 11:07
78	27	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 715/500,500.1,501.1,513,525,52 6,530,531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (report and (user with present\$4) and (appear\$4 with complete))	USPAT; US-PGPUB	2003/11/10 11:11
79	3	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 715/500,500.1,501.1,513,525,52 6,530,531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (report and (user with present\$4) and (appear\$4 adj2 complete))	USPAT; US-PGPUB	2003/11/10 11:24
80	1	(report with (user with present\$4) and (appear\$4 adj2 complete) and (without with indicat\$4 or show\$4))	USPAT; US-PGPUB	2003/11/10 11:26
81	164	(without with (indicat\$4 or show\$4)) and (page\$2 adj2 report\$2)	USPAT	2003/11/10 11:42

	Hits	Search Text	DBs	Time Stamp
82	48	(without with (indicat\$4 or show\$4)) and (page\$2 adj2 report\$2) and (present\$4 adj3 user\$2)	USPAT	2003/11/10 11:46

	Hits	Search Text	DBs	Time Stamp
1	5042	707/1-3,6,7,9,10.ccls.	USPAT; US-PGPUB	2002/02/25 16:48
2	3660	707/100-104.1.ccls.	USPAT; US-PGPUB	2002/02/25 16:48
3	2428	707/500-501.1,513,525,526,530, 531.ccls.	USPAT; US-PGPUB	2002/02/28 13:26
4	9022	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.	USPAT; US-PGPUB	2004/05/13 10:18
5	1	5428529.pn.	USPAT; US-PGPUB	2002/02/25 16:50
6	1	5579519.pn.	USPAT; US-PGPUB	2002/02/25 16:52
7	1	5446903.pn.	USPAT; US-PGPUB	2002/02/25 16:57
8	411	710/240,241.ccls.	USPAT; US-PGPUB	2002/02/25 16:57
9	89	717/139.ccls.	USPAT; US-PGPUB	2002/02/25 16:57
10	500	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2004/05/13 10:19
11	9041	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.	USPAT; US-PGPUB	2003/11/07 10:48
12	500	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2002/02/26 09:21
13	144	retriev\$4 adj3 row\$2 near3 data	USPAT; US-PGPUB	2002/02/26 10:03
14	329	security adj3 tag\$2	USPAT; US-PGPUB	2002/02/26 09:25
15	474	security adj3 (id or identifier)	USPAT; US-PGPUB	2002/02/26 09:28
16	214	authoriz\$4 with user with view	USPAT; US-PGPUB	2002/02/26 09:29
17	7	(security adj3 tag\$2) and (security adj3 (id or identifier))	USPAT; US-PGPUB	2003/11/07 13:02
18	14	determin\$4 adj3 data adj3 break	USPAT; US-PGPUB	2002/02/28 08:58
19	3	retriev\$4 adj3 report with page\$2	USPAT; US-PGPUB	2002/02/26 10:00
20	6180	report with page\$2	USPAT; US-PGPUB	2002/02/26 10:01
21	4	(report with page\$2) and (retriev\$4 adj3 row\$2 near3 data)	USPAT; US-PGPUB	2002/02/26 10:01
22	180	retriev\$4 adj3 row\$2 with data	USPAT; US-PGPUB	2002/02/26 10:05
23	4	(retriev\$4 adj3 row\$2 with data) and (report with page\$2)	USPAT; US-PGPUB	2002/02/26 10:04

	Hits	Search Text	DBs	Time Stamp
24	504	retriev\$4 adj3 row\$2	USPAT; US-PGPUB	2002/02/26 10:05
25	14	(retriev\$4 adj3 row\$2) and (report with page\$2)	USPAT; US-PGPUB	2002/02/26 11:22
26	214	user with authoriz\$4 with view	USPAT; US-PGPUB	2002/02/26 11:25
27	39	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (user with authoriz\$4 with view)	USPAT; US-PGPUB	2002/02/26 14:42
28	12	role\$2 adj3 security adj3 system\$2	USPAT; US-PGPUB	2002/02/26 14:54
29	124	role\$2 adj3 column\$2	USPAT; US-PGPUB	2002/02/26 14:56
30	3	map\$4 with role\$2 adj3 column\$2	USPAT; US-PGPUB	2002/02/26 14:59
31	3	associat\$4 with role\$2 adj3 column\$2	USPAT; US-PGPUB	2002/02/26 15:10
32	257	translation adj3 rule\$2	USPAT; US-PGPUB	2002/02/26 15:11
33	29	translation adj3 rule\$2 with (map\$4 or associat\$4)	USPAT; US-PGPUB	2002/02/26 15:23
34	392	role\$2 adj3 user\$2	USPAT; US-PGPUB	2002/02/26 15:23
35	5	role\$2 adj3 user\$2 with correspond\$4	USPAT; US-PGPUB	2002/02/26 15:30
36	137	security adj3 clearance with user\$2	USPAT; US-PGPUB	2002/02/26 15:32
37	31	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (security adj3 clearance with user\$2)	USPAT; US-PGPUB	2002/02/26 15:46
38	14	(data adj3 break) and (level adj3 break)	USPAT; US-PGPUB	2002/02/26 15:52
39	5	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (level adj3 break)	USPAT; US-PGPUB	2002/02/26 16:16

	Hits	Search Text	DBs	Time Stamp
40	12	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (break with (id or identifier))	USPAT; US-PGPUB	2002/02/26 16:18
41	9041	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.	USPAT; US-PGPUB	2002/02/27 08:25
42	500	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2002/02/27 08:25
43	1	renumber adj3 page\$2	USPAT; US-PGPUB	2002/02/27 11:10
44	9708	number adj3 page\$2	USPAT; US-PGPUB	2002/02/27 11:10
45	212	number adj3 page\$2 with (sequential\$4 or consequetiv\$4)	USPAT; US-PGPUB	2002/02/27 11:12
46	27	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (number adj3 page\$2 with (sequential\$4 or consequetiv\$4))	USPAT; US-PGPUB	2002/02/27 11:17
47	1306	first adj2 page\$2 with one	USPAT; US-PGPUB	2002/02/27 11:17
48	10	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (number adj3 page\$2 with (sequential\$4 or consequetiv\$4)) and (first adj2 page\$2 with one)	USPAT; US-PGPUB	2002/02/27 12:17
49	1027	section adj3 (id or identifier)	USPAT; US-PGPUB	2002/02/27 12:19
50	61	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530, 531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (section adj3 (id or identifier))	USPAT; US-PGPUB	2002/02/27 12:23

	Hits	Search Text	DBs	Time Stamp
51	2	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530,531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (section adj3 (id or identifier) and (section adj3 tag\$2))	USPAT; US-PGPUB	2002/02/27 12:25
52	9	(section adj3 (id or identifier) and (section adj3 tag\$2))	USPAT; US-PGPUB	2002/02/27 15:59
53	9041	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530,531.ccls.	USPAT; US-PGPUB	2002/02/27 16:01
54	500	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2002/02/27 16:01
55	6	page adj3 map with cell\$2	USPAT; US-PGPUB	2002/02/27 17:02
56	21	page adj3 map with index	USPAT; US-PGPUB	2002/02/27 17:03
57	4	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530,531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (page adj3 map with index)	USPAT; US-PGPUB	2002/02/27 17:03
58	9079	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530,531.ccls.	USPAT; US-PGPUB	2002/02/28 07:52
59	500	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2002/02/28 07:52
60	33	break adj3 (id or identifier\$2)	USPAT; US-PGPUB	2002/02/28 08:59
61	3	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 707/500-501.1,513,525,526,530,531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (break adj3 (id or identifier\$2))	USPAT; US-PGPUB	2002/02/28 08:59
62	1	4742460.pn.	USPAT	2003/06/28 15:15
63	1	4745560.pn.	USPAT	2003/06/28 15:17
64	1	4932021.pn.	USPAT	2003/06/28 15:17
65	1	5448691.pn.	USPAT	2003/06/28 15:19
66	1	5473689.pn.	USPAT	2003/06/28 15:20

	Hits	Search Text	DBs	Time Stamp
67	1	5724581.pn.	USPAT	2003/06/28 15:21
68	1	5845304.pn.	USPAT	2003/06/28 15:21
69	1	5884035.pn.	USPAT	2003/06/28 15:21
70	16982	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 715/500,500.1,501.1,513,525,52 6,530,531.ccls.	USPAT; US-PGPUB	2003/11/10 07:56
71	716	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2003/11/10 07:56
72	6	(security adj3 tags) and (security adj3 (id or identifier))	USPAT; US-PGPUB	2003/11/07 13:03
73	16984	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 715/500,500.1,501.1,513,525,52 6,530,531.ccls.	USPAT; US-PGPUB	2003/11/10 11:05
74	716	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2003/11/10 11:06
75	16984	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 715/500,500.1,501.1,513,525,52 6,530,531.ccls.	USPAT; US-PGPUB	2003/11/10 11:06
76	716	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2003/11/10 11:06
77	212	report and (user with present\$4) and (appear\$4 with complete)	USPAT; US-PGPUB	2003/11/10 11:07
78	27	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 715/500,500.1,501.1,513,525,52 6,530,531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (report and (user with present\$4) and (appear\$4 with complete))	USPAT; US-PGPUB	2003/11/10 11:11
79	3	((707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 715/500,500.1,501.1,513,525,52 6,530,531.ccls.) or (710/240,241.ccls. or 717/139.ccls.)) and (report and (user with present\$4) and (appear\$4 adj2 complete))	USPAT; US-PGPUB	2003/11/10 11:24
80	1	(report with (user with present\$4) and (appear\$4 adj2 complete) and (without with indicat\$4 or show\$4))	USPAT; US-PGPUB	2003/11/10 11:26
81	164	(without with (indicat\$4 or show\$4)) and (page\$2 adj2 report\$2)	USPAT	2003/11/10 11:42

	Hits	Search Text	DBs	Time Stamp
82	48	(without with (indicat\$4 or show\$4)) and (page\$2 adj2 report\$2) and (present\$4 adj3 user\$2)	USPAT	2003/11/10 11:46
83	20096	707/1-3,6,7,9,10.ccls. or 707/100-104.1.ccls. or 715/500,500.1,501.1,513,525,52 6,530,531.ccls.	USPAT; US-PGPUB	2004/05/13 10:19
84	795	710/240,241.ccls. or 717/139.ccls.	USPAT; US-PGPUB	2004/05/13 10:19